

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 7/42		A1	(11) International Publication Number: WO 97/03643
			(43) International Publication Date: 6 February 1997 (06.02.97)
(21) International Application Number: PCT/EP96/03044		(81) Designated States: AL, AU, BB, BG, BR, CA, CN, CZ, EE, GE, HU, IL, IS, JP, KP, KR, LK, LR, LT, LV, MG, MK, MN, MX, NO, NZ, PL, RO, SG, SI, SK, TR, TT, UA, US, UZ, VN, ARIPO patent (KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 11 July 1996 (11.07.96)		Published <i>With international search report.</i>	
(30) Priority Data: 9515048.8 22 July 1995 (22.07.95) GB			
(71) Applicant (for all designated States except US): CIBA SC HOLDING AG [CH/CH]; Klybeckstrasse 141, CH-4058 Basel (CH).			
(72) Inventors; and (75) Inventors/Applicants (for US only): LUTHER, Helmut [DE/DE]; Tüllingerweg 3a, D-79639 Grenzach-Wyhlen (DE). STEHLEIN, Albert [FR/FR]; 6, rue de Bougue, F-68300 Rosenau (FR). MINKLEI, Marina [DE/DE]; Baslerstrasse 2, D-79639 Grenzach (DE).			
(74) Common Representative: CIBA SC HOLDING AG; Klybeckstrasse 141, CH-4058 Basel (CH).			
(54) Title: SUNSCREEN COMPOSITIONS			
(57) Abstract <p>The present invention provides a method of producing a composition, suitable for use in pharmaceutical or cosmetic compositions, comprising a micronised insoluble organic UV absorber, which method comprises grinding the insoluble organic UV absorber, in coarse particle form, in a grinding apparatus, in the presence of 0.1 to 30 % by weight of an alkyl polyglucoside having the formula $C_nH_{2n+1}O(C_6H_{10}O_5)_xH$, in which n is an integer ranging from 8 to 16 and x is the mean polymerisation level of the glucoside moiety ($C_6H_{10}O_5$) and ranges from 1.4 to 1.6, or an ester thereof.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AM	Armenia	GB	United Kingdom	MW	Malawi
AT	Austria	GE	Georgia	MX	Mexico
AU	Australia	GN	Guinea	NE	Niger
BB	Barbados	GR	Greece	NL	Netherlands
BE	Belgium	HU	Hungary	NO	Norway
BF	Burkina Faso	IE	Ireland	NZ	New Zealand
BG	Bulgaria	IT	Italy	PL	Poland
BJ	Benin	JP	Japan	PT	Portugal
BR	Brazil	KE	Kenya	RO	Romania
BY	Belarus	KG	Kyrgyzstan	RU	Russian Federation
CA	Canada	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	KZ	Kazakhstan	SG	Singapore
CH	Switzerland	LI	Liechtenstein	SI	Slovenia
CI	Côte d'Ivoire	LK	Sri Lanka	SK	Slovakia
CM	Cameroon	LR	Liberia	SN	Senegal
CN	China	LT	Lithuania	SZ	Swaziland
CS	Czechoslovakia	LU	Luxembourg	TD	Chad
CZ	Czech Republic	LV	Latvia	TG	Togo
DE	Germany	MC	Monaco	TJ	Tajikistan
DK	Denmark	MD	Republic of Moldova	TT	Trinidad and Tobago
EE	Estonia	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	UG	Uganda
FI	Finland	MN	Mongolia	US	United States of America
FR	France	MR	Mauritania	UZ	Uzbekistan
GA	Gabon			VN	Viet Nam

Sunscreen Compositions

The present invention relates to a method for producing new formulations of UV absorbers and to their use in sunscreen compositions which, in turn, are useful, in particular, for the protection of human skin.

It has long been known that prolonged exposure to that UV radiation which reaches the surface of the earth can lead to the formation of erythemas or light dermatoses, as well as to an increased incidence of skin cancers or accelerated skin aging.

Various sunscreen formulations have been proposed which include a material which is intended to counteract UV radiation, thereby inhibiting the said undesired effects on the skin.

A great number of compounds has been proposed for use as UV protectants in sunscreen formulations, especially soluble organic UV absorbers and insoluble micronised inorganic compounds, in particular zinc oxide and titanium dioxide.

With respect to the use in sunscreen formulations of soluble organic UV absorbers, they have the disadvantages that their effectiveness as UV protectants in terms of SPF (Sun Protection Factor) in a sunscreen formulation is often too low for commercial purposes; as a result of their solubility, they exhibit relatively high allergenic potential; and that as a result of intrinsic photochemical lability, the duration of the protective effect is often too low.

The high specific weight of insoluble inorganic compounds, such as zinc oxide and titanium dioxide leads to a reduced stability of formulations containing them. Moreover, such inorganic compounds have been claimed to generate toxic radicals under the influence of light ("Redox Mechanisms in Heterogeneous Photocatalysis", Serpone *et al*, Electrochemistry in Colloids and Dispersions, Editors Mackay and Texter, VCH Publishers Inc., NewYork 1992).


- 2 -

Micronised, insoluble organic UV absorbers, when used in sunscreen formulations, provide excellent UV protection and have at least as high an SPF rating as corresponding sunscreen formulations containing a known inorganic UV absorber. Unlike the latter UV absorbers, micronised, insoluble organic UV absorbers show no tendency, under the influence of light, to generate radicals which could damage or sensitise human skin.

Accordingly, the present invention provides, as a first aspect, a method of producing a composition, which is especially suitable for use in pharmaceutical or cosmetic applications, comprising a micronised insoluble organic UV absorber, which method comprises grinding the insoluble organic UV absorber, in coarse particle form, in a grinding apparatus, in the presence of 1 to 50%, preferably 5 to 40% by weight, based on the micronised insoluble organic UV absorber, of an alkyl polyglucoside having the formula $C_nH_{2n+1}O(C_6H_{10}O_5)_xH$, in which n is an integer ranging from 8 to 16 and x is the mean polymerisation level of the glucoside moiety ($C_6H_{10}O_5$) and ranges from 1.4 to 1.6, or an ester thereof.

The insoluble organic UV absorber may be, e.g., an oxanilide, a triazine, a triazole, a vinyl group-containing amide, a cinnamic acid amide or a sulfonated benzimidazole UV absorber.


One preferred class of oxanilide UV absorbers is that having the formula:




in which R_1 and R_2 , independently, are C_1 - C_{18} alkyl or C_1 - C_{18} alkoxy. A preferred compound of formula (1) is N-(2-ethoxyphenyl)-N'-(2-ethylphenyl)-ethanediamide.

A preferred class of triazine compounds is that having the formula:

- 3 -





in which R_3 , R_4 and R_5 , independently, are H, OH, C_1 - C_{18} alkoxy, NH_2 , $NH-R_6$ or $N(R_6)_2$ in which R_6 is C_1 - C_{18} alkyl, OR_6 in which R_6 has its previous significance, phenyl, phenoxy or anilino, or pyrrolo, in which the respective phenyl, phenoxy or anilino, or pyrrolo moieties are optionally substituted by one, two or three substituents selected from OH, carboxy, $CO-NH_2$, C_1 - C_{18} alkyl or -alkoxy, C_1 - C_{18} carboxyalkyl, C_5 - C_8 cycloalkyl, a methylenecamphor group, a group $-(CH=CH)_mC(=O)-OR_6$ in which m is 0 or 1 and R_6 has its previous significance, or







a group  $CH=CH-C(=O)-OH$ or the corresponding alkali metal,







ammonium, mono-, di- or tri- C_1 - C_4 alkylammonium, mono-, di- or tri- C_2 - C_4 alkanolammonium salts, or the C_1 - C_{18} alkyl esters thereof.




Preferred compounds of formula (2) are those having one of the formulae:









- 4 -

















and



as well as 2,4,6-tris(diisobutyl-4'-aminobenzalmalonate)-s-triazine and 2,4-bis(diisobutyl-4'-aminobenzalmalonate)-6-(4'-aminobenzylidenecamphor)-s-triazine.


Particularly preferred compounds of formula (2) are those having the formula:



in which the individual radicals R_7 are the same or different and each is hydrogen; an alkali metal; an ammonium group $N(R_8)_4$ in which R_8 is hydrogen or an organic radical; C_1 - C_{20} alkyl; or a polyoxyethylene radical which contains from 1 to 10 ethylene oxide units and the terminal OH group of which may be etherified by a C_1 - C_3 alcohol.


In relation to the compounds of formula (30), when R_7 is an alkali metal it is preferably potassium or, especially sodium; when R_7 is a group $N(R_8)_4$ in which R_8 has its previous significance, it is preferably a mono-, di- or tri- C_1 - C_4 alkylammonium salt, a mono-, di- or tri- C_2 - C_4 alkanolammonium salt or a C_1 - C_{20} alkyl ester thereof; when R_8 is a C_1 - C_{20} alkyl group, it is preferably a C_6 - C_{12} alkyl group, more preferably a C_8 - C_9 alkyl group, especially the 3,5,5-trimethylpentyl group or, most particularly, the 2-ethylhexyl group; and when R_8 is polyoxyethylene group, this preferably contains from 2-6 ethylene oxide units.

One preferred class of triazole insoluble organic UV absorbers is that having the formula:




in which T_1 is C_1 - C_{18} alkyl or, preferably, hydrogen; and T_2 is C_1 - C_{18} alkyl, optionally substituted by phenyl, preferably α,α -dimethylbenzyl.

A further preferred class of triazole insoluble organic UV absorbers is that having the formula:




in which T_2 has its previous significance.

A still further preferred class of triazole insoluble organic UV absorbers is that having the formula:



in which T_2 has its previous significance and is preferably t-butyl.

A preferred class of vinyl group-containing amide insoluble organic UV absorbers is that having the formula:




in which R_9 is C_1 - C_{18} alkyl, preferably C_1 - C_5 alkyl, or phenyl optionally substituted by one, two or three substituents selected from OH, C_1 - C_{18} alkyl, C_1 - C_{18} alkoxy or $CO-OR_6$ in which R_6

has its previous significance; R_{10} , R_{11} , R_{12} and R_{13} are the same or different and each is C_1 - C_{18} alkyl, preferably C_1 - C_5 alkyl, or hydrogen; Y is N or O; and m has its previous significance.


Preferred compounds of formula (34) are 4-octyl-3-penten-2-one, ethyl-3-octylamino-2-butenate, 3-octylamino-1-phenyl-2-buten-1-one and 3-dodecylamino-1-phenyl-2-buten-1-one.

A preferred class of cinnamic acid amide insoluble organic UV absorbers is that having the formula:



in which R_{14} is hydroxy or C_1 - C_4 alkoxy, preferably methoxy or ethoxy; R_{15} is hydrogen or C_1 - C_4 alkyl, preferably methyl or ethyl; and R_{16} is $-(CONH)_m$ -phenyl in which m has its previous significance and the phenyl group is optionally substituted by one, two or three substituents selected from OH, C_1 - C_{18} alkyl, C_1 - C_{18} alkoxy or $CO-OR_8$ in which R_8 has its previous significance. Preferably R_{16} is phenyl, 4-methoxyphenyl or the phenylaminocarbonyl group.

A preferred class of sulfonated benzimidazole insoluble organic UV absorbers is that having the formula:



in which M is hydrogen or an alkali metal, preferably sodium, an alkaline earth metal, such as magnesium or calcium, or zinc.

In the compounds of formula (1) to (35), C₁-C₁₈alkyl groups may be methyl, ethyl, n-propyl, isopropyl, n-butyl, isobutyl, tert.-butyl, n-amyl, n-hexyl, n-heptyl, n-octyl, isooctyl, n-nonyl, n-decyl, n-undecyl, n-dodecyl, tetradecyl, hexydecyl or octadecyl; and C₁-C₁₈alkoxy groups include methoxy, ethoxy, propoxy, butoxy, n-hexoxy, n-heptoxy, n-octoxy, isooctoxy, n-nonoxo, n-decoxy, n-undecoxy, n-dodecoxy, tetradecoxy, hexadecoxy or octadecoxy, methoxy and ethoxy being preferred.

C₁-C₁₈carboxyalkyl includes carboxymethyl, carboxyethyl, carboxypropyl, carboxyisopropyl, carboxybutyl, carboxyisobutyl, carboxybutyl, carboxyamyl, carboxyhexyl, carboxyheptyl, carboxyoctyl, carboxyisooctyl, carboxynonyl, carboxydecyl, carboxyundecyl, carboxydodecyl, carboxytetradecyl, carboxyhexadecyl and carboxyoctadecyl, carboxymethyl being preferred.

C₅-C₈cycloalkyl includes cyclopentyl, cyclohexyl and cyclooctyl.

The compounds of formula (1) to (35) are known. The compounds of formula (30) are described, together with their production, in US-A-4617390.

Although they are excellent sun screen agents *per se*, the insoluble organic UV absorbers suffer from the drawback that, to date, it has proved difficult to formulate them in order to achieve a high SPF in human sun screen applications.

Surprisingly, it has now been found that the insoluble organic UV absorbers, when micronised with a particular type of surfactant, namely an alkyl polyglucoside, provide high SPF values. Moreover, such formulations do not agglomerate and they remain in a dispersed form and do not readily settle.

Preferably, the micronised insoluble organic UV absorber, produced according to the method of the present invention, has a mean particle size in the range of from 0.01 to 2, more preferably from 0.02 to 1.5, especially from 0.05 to 1.0 μ .

The grinding apparatus used to conduct the method of the present invention may be, e.g., a jet, ball, vibration or hammer mill, preferably a high speed stirring mill or impact mill, especially a rotating ball mill, vibrating mill, tube mill or rod mill.

The alkyl polyglucoside may consist of a C_1 - C_{12} ester of the compound of formula $C_nH_{2n+1}O(C_6H_{10}O_5)_xH$, namely an ester formed by reacting a C_1 - C_{12} acid, such as formic, acetic, propionic, butyric, sulfosuccinic, citric or tartaric acid, with one or more free OH groups on the glucoside moiety ($C_6H_{10}O_5$).

The micronised formulation of a insoluble organic UV absorber, produced according to the method of the present invention may be used together with one or more further UV absorbers, such as soluble organic UV absorbers, insoluble inorganic UV absorbers and/or melanine, which are conventionally used in cosmetic compositions for the protection of human skin against UV radiation. The use of such combinations of active ingredients may lead to synergistic effects.

As already indicated, the composition produced according to the method of the present invention is particularly suitable for use in a sunscreen formulation.

Accordingly, the present invention also provides a sunscreen composition comprising a) 0.1 to 15%, preferably 0.5 to 10% by weight, based on the total composition of a micronised formulation of an insoluble organic UV absorber, produced according to the method of the present invention; and optionally b) a cosmetically acceptable carrier.

The sunscreen composition of the present invention may be produced by physically blending the micronised formulation of an insoluble organic UV absorber and carrier components by any conventional method, e.g. by simply stirring the two materials together. In a preferred procedure, a mixture of the coarse, insoluble organic UV absorber, the alkyl polyglucoside grinding aid, and the milling bodies are ground until the coarse, insoluble organic UV absorber has been converted into micronised form, as described earlier in relation to the production of the micronised insoluble organic UV absorber. After filtering off the milling bodies, e.g. quartz sand, glass balls or zirconium silicate balls, the filtrate,

consisting of the micronised insoluble organic UV absorber and grinding aid components, may be blended with a cosmetically compatible carrier.

The sunscreen composition of the invention may be formulated as a water-in oil or an oil-in-water dispersion, an oil or oil-alcohol lotion, a vesicular dispersion of an ionic or nonionic amphiphilic lipid, a gel, a solid stick or an aerosol formulation.

When formulated as a water-in oil or an oil-in-water dispersion, the optional cosmetically acceptable carrier preferably comprises 5 to 50% of an oil phase, 5 to 20% of an emulsifier and 30 to 90% of water, each by weight based on the total weight of the carrier.

The oil phase may comprise any oil conventionally used in cosmetic formulations, e.g., one or more of a hydrocarbon oil, a wax, a natural oil, a silicone oil, a fatty acid ester or a fatty alcohol. Preferred mono- or polyols are ethanol, isopropanol, propylene glycol, hexylene glycol, glycerine and sorbitol.

The emulsifier also may comprise any emulsifier conventionally used in cosmetic formulations, e.g., one or more of an ethoxylated ester of a natural oil derivative such as a polyethoxylated ester of hydrogenated castor oil; a silicone oil emulsifier such as a silicone polyol; an optionally ethoxylated fatty acid soap; an ethoxylated fatty alcohol; an optionally ethoxylated sorbitan ester; an ethoxylated fatty acid; or an ethoxylated glyceride.


The sunscreen composition of the invention may also comprise further components which are known to perform a useful function in a sunscreen composition. Examples of such further components include, e.g., emollients, skin moisturisers, skin tanning accelerators, antioxidants, emulsion stabilisers, thickening agents such as xanthan, moisture-retention agents such as glycerine, film formers, preservatives, perfumes and colourants.

The sunscreen composition of the invention provides excellent protection of the human against the damaging effects of sunlight, while permitting safe tanning of

the skin. Moreover, the sunscreen composition of the invention has a skin waterproofing effect.

The following Examples further illustrate the present invention.

Example 1: 30g of 2,4,6-trianilino-p-(carbo-2'-ethylhexyl-1'-oxy)-1,3,5-triazine having the formula:



are ground in a 200 ml grinding container at a stirring speed of 8 m/s in a Drais bead mill in the presence of 12 g of a C₈-C₁₆ fatty alcohol polyglucoside and 300 g of zirconium silicate grinding aids (diameter 0.6-0.8 mm), over 15 minutes, with water cooling. The grinding aids are centrifuged off and the mean particle size of the remaining dispersion product is found to be 1.06 μ (measured on a Malvern Mastersizer).

5 g of the resulting dispersion are then formulated with 0.25 g NaCl, 0.25 g of a polydimethylsiloxane de-foamer, 13.25 g of water and 6.25 g of a thickener which contains, per litre, 16 g imidazolidinyl urea, 24 g of a mixture of methyl-, ethyl-, i-butyl- and n-butyl esters of 4-hydroxybenzoic acid in phenoxyethanol, 40 g xanthan gum and 940 g water.

The resulting lotion formulation is composed of:

10.0% 2,4,6-trianilino-p-(carbo-2'-ethylhexyl-1'-oxy)-1,3,5-triazine;
8.0% C₈-C₁₆ fatty alcohol polyglucoside;

78.5% water;
1.0% de-foamer;
1.0% NaCl;
0.5% xanthan gum;
0.5% imidazolidinyl urea; and
0.6% mixed esters of 4-hydroxybenzoic acid.

The lotion has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 13.2.

Example 2:

Using an analogous procedure to that described in Example 1 but applying a grinding time of 30 minutes, a formulation is obtained having a mean particle size of 0.9 μ (measured on a Malvern Mastersizer) and an average SPF of 19.5.

Example 3:

Using an analogous procedure to that described in Example 1 but applying a grinding time of 45 minutes, a formulation is obtained having a mean particle size of 0.88 μ (measured on a Malvern Mastersizer) and an average SPF of 22.8.


Example 4:

Using an analogous procedure to that described in Example 1 but applying a grinding time of 80 minutes, a formulation is obtained having a mean particle size of 0.73 μ (measured on a Malvern Mastersizer) and an average SPF of 33.7.

The dependence of SPF on the level of micronisation is clearly apparent from the data in Examples 1 to 4.

Example 5:

Using the procedure described in Example 1, but replacing the 2,4,6-trianilino-p-(carbo-2'-ethylhexyl-1'-oxy)-1,3,5-triazine used therein by the compound having the formula:



there is obtained a lotion formulation which is composed of:

10.0% compound (102);

4.0% C₈-C₁₆ fatty alcohol polyglucoside;

82.5% water;

1.0% de-foamer;

1.0% NaCl;

0.5% xanthan gum;

0.5% imidazolidinyl urea; and

0.6% mixed esters of 4-hydroxybenzoic acid.

The lotion has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 18.7 at a particle size of 0.22 μ .

Similar results are obtained using a lotion formulation which is composed of:

10.0% compound (102);

4.0% C₈-C₁₆ fatty alcohol polyglucoside;

71.7% water;

1.0% de-foamer;


1.0% propyleneglycolstearate;

- 19 -

5% paraffin oil;
1.5% stearic acid;
0.4% cetyl/stearyl alcohol;
0.1% propyl ester of 4-hydroxybenzoic acid;
0.1% methyl ester of 4-hydroxybenzoic acid;
4.0% glycerine;
0.1% polyacrylic acid;
0.8% triethanolamine; and
0.5% xanthan gum.

Example 6:


Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:



there is obtained a lotion formulation which has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 31 at a particle size of 0.29 μ .

Example 7:


Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:



there is obtained a lotion formulation which has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 17.5 at a particle size of 0.44 μ .

Example 8:


Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:



there is obtained a lotion formulation which has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 20.4 at a particle size of 0.4 μ .

Example 9:

Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:




there is obtained a lotion formulation which has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 15.2 at a particle size of 0.32 μ .

Similar results are obtained when the acidic compound of formula (106) is replaced by an alkaline earth salt thereof, such as the magnesium or calcium salt, or by the zinc salt thereof.

Example 10:


Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:



there is obtained a lotion formulation which has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 23.3 at a particle size of 0.43 μ .

Example 11:

Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:




there is obtained a lotion formulation which has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 5.6 at a particle size of 0.4 μ .

Similar results are obtained when the acidic compound of formula (108) is replaced by an alkaline earth salt thereof, such as the magnesium or calcium salt, or by the zinc salt thereof.

Example 12:


Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:



there is obtained a lotion formulation which has an average SPF (measured on an SPF analyzer/Optometrics according to DIN 67501) of 17.0 at a particle size of 0.3 μ .

Example 13:


Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:



there is obtained a lotion formulation.

Example 14:


Using the procedure described in Example 5, but replacing the compound of formula (102) used therein by the compound having the formula:



there is obtained a lotion formulation.

Claims


1. A method of producing a composition, suitable for use in pharmaceutical or cosmetic compositions, comprising a micronised insoluble organic UV absorber, which method comprises grinding the insoluble organic UV absorber, in coarse particle form, in a grinding apparatus, in the presence of 1 to 50% by weight of an alkyl polyglucoside having the formula $C_nH_{2n+1}O(C_6H_{10}O_5)_xH$, in which n is an integer ranging from 8 to 16 and x is the mean polymerisation level of the glucoside moiety ($C_6H_{10}O_5$) and ranges from 1.4 to 1.6, or an ester thereof.
2. A method according to claim 1 in which the amount of alkyl polyglucoside is from 5 to 40% by weight.
3. A method according to claim 1 or 2 in which the insoluble organic UV absorber is an oxanilide, a triazine, a triazole, a vinyl group-containing amide, a cinnamic acid amide or a sulfonated benzimidazole UV absorber.
4. A method according to claim 3 in which the oxanilide UV absorber has the formula:



in which R_1 and R_2 , independently, are C_1 - C_{18} alkyl or C_1 - C_{18} alkoxy.

5. A method according to claim 4 in which the compound of formula (1) is N-(2-ethoxyphenyl)-N'-(2-ethylphenyl)-ethanediamide.
6. A method according to claim 3 in which the triazine UV absorber has the formula:

- 26 -











in which R_3 , R_4 and R_5 , independently, are H, OH, C_1 - C_{18} alkoxy, NH_2 , $NH-R_6$ or $N(R_6)_2$ in which R_6 is C_1 - C_{18} alkyl, OR_6 in which R_6 has its previous significance, phenyl, phenoxy or anilino, or pyrrolo, in which the respective phenyl, phenoxy or anilino, or pyrrolo moieties are optionally substituted by one, two or three substituents selected from OH, carboxy, $CO-NH_2$, C_1 - C_{18} alkyl or -alkoxy, C_1 - C_{18} carboxyalkyl, C_5 - C_8 cycloalkyl, a methylenecamphor group, a group $-(CH=CH)_mC(=O)-OR_6$ in which m is 0 or 1 and R_6 has its previous significance, or







a group or the corresponding alkali metal,




ammonium, mono-, di- or tri- C_1 - C_4 alkylammonium, mono-, di- or tri- C_2 - C_4 alkanolammonium salts, or the C_1 - C_{18} alkyl esters thereof.




7. A method according to claim 6 in which the triazine compound has one of the formulae:

















and



or is 2,4,6-tris(diisobutyl-4'-aminobenzalmalonate)-s-triazine or 2,4-bis(diisobutyl-4-aminobenzalmalonate)-6-(4'-aminobenzylidenecamphor)-s-triazine.

8. A method according to claim 4 in which the triazine compound has the formula:


- 33 -



in which the individual radicals R_7 are the same or different and each is hydrogen; an alkali metal; an ammonium group $N(R_8)_4$ in which R_8 is hydrogen or an organic radical; C_1 - C_{20} alkyl; or a polyoxyethylene radical which contains from 1 to 10 ethylene oxide units and the terminal OH group of which may be etherified by a C_1 - C_3 alcohol.

9. A method according to claim 8 in which when R_7 is an alkali metal it is potassium or sodium; when R_7 is a group $N(R_8)_4$ in which R_8 is as defined in claim 8, it is a mono-, di- or tri- C_1 - C_4 alkylammonium salt, a mono-, di- or tri- C_2 - C_4 alkanolammonium salt or a C_1 - C_{20} alkyl ester thereof; when R_8 is a C_1 - C_{20} alkyl group, it is a C_6 - C_{12} alkyl group; and when R_8 is polyoxyethylene group, this contains from 2-6 ethylene oxide units.


10. A method according to claim 3 in which the triazole organic UV absorber has the formula:



in which T_1 is C_1 - C_{18} alkyl or hydrogen; and T_2 is C_1 - C_{18} alkyl, optionally substituted by phenyl.


11. A method according to claim 10 in which T_2 is α,α -dimethylbenzyl.

12. A method according to claim 3 in which the triazole organic UV absorber has the formula:



in which T_2 is as defined in claim 10.


13. A method according to claim 3 in which the triazole organic UV absorber has the formula:



in which T_2 is as defined in claim 10.

14. A method as defined in claim 13 in which T_2 is t-butyl.


15. A method according to claim 3 in which the vinyl group-containing amide organic UV absorber has the formula:



in which R_9 is C_1 - C_{18} alkyl or phenyl optionally substituted by one, two or three substituents selected from OH, C_1 - C_{18} alkyl, C_1 - C_{18} alkoxy or $CO-OR_6$ in which R_6 is as defined in claim 6; R_{10} , R_{11} , R_{12} and R_{13} are the same or different and each is C_1 - C_{18} alkyl or hydrogen; Y is N or O; and m is as defined in claim 6.

16. A method according to claim 15 in which the compound of formula (34) is 4-octyl-3-penten-2-one, ethyl-3-octylamino-2-butenate, 3-octylamino-1-phenyl-2-buten-1-one or 3-dodecylamino-1-phenyl-2-buten-1-one.


17. A method according to claim 3 in which the cinnamic acid amide organic UV absorber has the formula:



in which R_{14} is hydroxy or C_1 - C_4 alkoxy; R_{15} is hydrogen or C_1 - C_4 alkyl; and R_{16} is $-(CONH)_m$ -phenyl in which m is as defined in claim 6 and the phenyl group is optionally substituted by one, two or three substituents selected from OH, C_1 - C_{18} alkyl, C_1 - C_{18} alkoxy or $CO-OR_6$ in which R_6 is as defined in claim 6.

18. A method according to claim 17 in which R_{16} is phenyl, 4-methoxyphenyl or the phenylaminocarbonyl group.

19. A method according to claim 3 in which the sulfonated benzimidazole organic UV absorber has the formula:



in which M is hydrogen or an alkali metal, an alkaline earth metal or zinc.

20. A method according to any of the preceding claims in which the alkyl polyglucoside consists of a C₁-C₁₂ester of the compound of formula C_nH_{2n+1}O(C₆H₁₀O₅)_xH, namely an ester formed by reacting a C₁-C₁₂acid with one or more free OH groups on the glucoside moiety (C₆H₁₀O₅).

21. A method according to claim 20 in which the ester is formed by reacting formic, acetic, propionic, butyric, sulfosuccinic, citric or tartaric acid, with one or more free OH groups on the glucoside moiety (C₆H₁₀O₅).

22. A method according to any of the preceding claims in which the micronised insoluble organic UV absorber so obtained has a mean particle size in the range of from 0.01 to 2.0μ.

23. A method according to claim 22 in which the micronised insoluble organic UV absorber so obtained has a mean particle size in the range of from 0.02 to 1.5μ.

24. A method according to claim 23 in which the micronised insoluble organic UV absorber so obtained has a mean particle size in the range of from 0.05 to 1μ.

25. A method according to any of the preceding claims in which the micronised insoluble organic UV absorber has been produced by grinding it, in coarse particulate form, in a grinding apparatus, until the insoluble organic UV absorber has been converted into micronised form.

26. A method according to claim 25 in which the grinding apparatus is a jet, ball, vibration or hammer mill.

27. A composition comprising a micronised insoluble organic UV absorber when produced by a method claimed in any of the preceding claims.

28. A sunscreen composition comprising a) 0.1 to 15% by weight of a micronised insoluble organic UV absorber composition according to claim 27; and optionally b) a cosmetically acceptable carrier.

- 37 -

29. A sunscreen composition according to claim 28 comprising a) 0.5 to 10% by weight of a micronised insoluble organic UV absorber composition according to claim 27; and optionally b) a cosmetically acceptable carrier.

30. A composition according to claim 28 or 29 in which the micronised insoluble organic UV absorber is as defined in any of claims 3 to 19.

31. A composition according to any of claims 28 to 30 in which the micronised insoluble organic UV absorber has a mean particle size in the range of from 0.01 to 2.0 μ .

32. A composition according to claim 31 in which the micronised insoluble organic UV absorber has a mean particle size in the range of from 0.02 to 1.5 μ .

33. A composition according to claim 32 in which the micronised insoluble organic UV absorber has a mean particle size in the range of from 0.05 to 1 μ .

34. A composition according to any of claims 28 to 33 in which the micronised insoluble organic UV absorber has been produced by grinding it, in coarse particulate form, in a grinding apparatus, until the insoluble organic UV absorber has been converted into micronised form.

35. A composition according to claim 34 in which the grinding apparatus is a jet, ball, vibration or hammer mill.

36. A composition according to any of claims 28 to 35 in which the micronised insoluble organic UV absorber is used together with one or more further UV absorbers which are conventionally used in cosmetic compositions for the protection of human skin against UV radiation.

37. A sunscreen composition according to any of claims 28 to 36 which is formulated as a water-in oil or an oil-in-water dispersion, an oil or oil-alcohol

lotion, a vesicular dispersion of an ionic or nonionic amphiphilic lipid, an oil-alcohol or alcohol gel, a solid stick or an aerosol formulation.

38. A sunscreen composition according to claim 37 which is formulated as a water-in oil or an oil-in-water dispersion and component b) comprises 5 to 50% of an oil phase, 5 to 20% of an emulsifier and 30 to 90% of water, each by weight based on the total weight of the carrier.

39. A sunscreen composition according to claim 38 in which the oil phase comprises one or more of a hydrocarbon oil, a wax, a natural oil, a silicone oil, a fatty acid ester or a fatty alcohol.

40. A sunscreen composition according to claim 38 or 39 in which the emulsifier comprises one or more of an ethoxylated ester of a natural oil derivative; a silicone oil emulsifier; an optionally ethoxylated fatty acid soap; an ethoxylated fatty alcohol; an optionally ethoxylated sorbitan ester; an ethoxylated fatty acid; or an ethoxylated glyceride.

41. A sunscreen composition according to claim 40 in which the ethoxylated ester of a natural oil derivative is a polyethoxylated ester of hydrogenated castor oil; and the silicone oil emulsifier is silicone polyol.

42. A sunscreen composition according to any of claims 28 to 41 in which the sunscreen composition also comprises one or more further components selected from emollients, skin moisturisers, skin tanning accelerators, antioxidants, emulsion stabilisers, thickening agents, moisture retention agents, film formers, preservatives, perfumes and colourants.

INTERNATIONAL SEARCH REPORT

Int. Application No
PCT/EP 96/03044

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 A61K7/42

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A61K

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,A	GB,A,2 286 774 (CIBA-GEIGY AG.) 30 August 1995 see the whole document -----	1-42

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

T later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

X document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

Y document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

& document member of the same patent family

Date of the actual completion of the international search

5 November 1996

Date of mailing of the international search report

15. 11. 96

Name and mailing address of the ISA
European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+ 31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+ 31-70) 340-3016

Authorized officer

Couckuyt, P

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 96/03044

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
GB-A-2286774	30-08-95	AU-A- 1665395	11-09-95
		WO-A- 9522959	31-08-95
		ZA-A- 9501459	23-08-95
